
Initial Setup Wizard
Initial Setup Wizard
Connect to Internet (WAN)
Date and Time Settin...
Register Device
Activate Service
Service Settings
Remote Management
1
2
3
4
5
6
Date and Time Settings
For effective scheduling and logging, your Device system time must be accurate. The Device will get the current date and time from an external time server periodically by default.
The auto-detection might temporary fa
ill try to get date and time automatically when the internet connection is availab
Current Date:
2023-06-27
Current Time:
15:57:12 UTC+00
Time Zone:
(UTC+00:00) Gre
Daylight Saving Time is not observed by this time zone.
Sync. Now
Error Message
CLI Number: 5
Error Number: -21023
Error Message: 'NTP synchronization has timeout.'
OK
< Back
Next >


Apply a display filter ... <Ctrl-/>
No. Time Source Destination Protocol Length Info
1 0.000000 ZyxelCom_c6:ac:40 Broadcast PPPoED 32 Active Discovery Initiation (PADI)
2 0.014123 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPPoED 64 Active Discovery Offer (PADO) AC-Name='ra1.ac4.ba1.oxf.voneus.net'
3 0.014191 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPPoED 32 Active Discovery Request (PADR)
4 0.038424 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPPoED 64 Active Discovery Session-confirmation (PADS)
5 0.039555 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
6 1.012511 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
7 1.012630 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Nak
8 1.946974 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
9 1.947097 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Nak
10 3.041412 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
11 3.528537 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
12 3.528654 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Nak
13 5.733773 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
14 5.733883 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Nak
15 6.041791 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
16 9.042220 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
17 9.434889 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
18 9.435000 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Nak
19 12.044905 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
20 13.945805 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
21 13.945925 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Reject
22 15.046097 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
23 18.049188 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
24 21.052010 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
25 22.119984 Routerbo_de:44:f5 ZyxelCom_c6:ac:40 PPP LCP 60 Configuration Request
26 22.120052 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 31 Configuration Reject
27 24.054018 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
28 27.056502 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPP LCP 32 Configuration Request
29 30.058577 ZyxelCom_c6:ac:40 Routerbo_de:44:f5 PPPoED 28 Active Discovery Terminate (PADT)
Frame 1: 32 bytes on wire (256 bits), 32 bytes captured (256 bits)
Ethernet II, Src: ZyxelCom_c6:ac:40 (fc:22:f4:c6:ac:40), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
PPP-over-Ethernet Discovery
0000 ff ff ff ff ff ff fc 22 f4 c6 ac 40 88 63 11 09
0010 00 00 00 0c 01 01 00 00 01 03 00 04 00 00 44 4b
wan--packet-capture.00000.cap
Packets: 29 · Displayed: 29 (100.0%)
Profile: Default